

# **AGRITREND**

**We Control the Quality**

[www.agritrend.co.uk](http://www.agritrend.co.uk)

 British Design 

## ■ **Range of mixer buckets** for farming, construction and industry.



# **AGRITREND**

**We Control the Quality**

[www.agritrend.co.uk](http://www.agritrend.co.uk)



**Helical mixing auger churns concrete to the centre of the bucket**



**Agritrend mixer buckets are made from hardox steel**



**Buckets have 12mm end plates and 8mm bottoms protected by hardox scuff plates**

# AGRITREND MIXER BUCKET FOR TRACTOR LOADER, SKID-STEER, BACK-HOE AND TELESCOPIC.



The Agritrend mixer bucket range comes in 4 sizes with robust build assured with hardox wear-resistant steel used throughout and premium quality components.

Bucket mixers are ideal for quick and cost-effective mixing of mortar, concrete, feed and other aggregates with rapid mixing rates made possible by the helical mixing auger which churns concrete and other aggregates to the centre of the bucket.

**Suitable for skid steer, excavators, tele-handlers, back-hoe loaders and loading shovels.**

- Bucket sides are 12mm with back, front and bottom 8mm thickness.
- Hydraulic pump specification SMT4004MDGP max pressure 180 bar max oil flow 125 l/min . Flow requirement is 50-80 l/min.  
Note: The 2 meter version has twin hydraulic motors.
- Spiral auger made from abrasion resistant steel with profile 16mm X 22mm. Churns to the centre for efficient mixing.
- The mixers have a hydraulic chain drive which is generously engineered for long life and reliability.
- Warranty and parts service from our 4 depots in the UK.
- Comes with hoses and electric cab control with 1.5m pouring tube. A solenoid operated valve block provides full mixing and pouring functions on a single double acting hydraulic circuit
- Choice of bolt on or weld on Brackets and hoses from £115 plus VAT added to the price (bracket prices may vary)



# HARDOX STEEL CONSTRUCTION COMES WITH ELECTRONIC CAB CONTROL OF MIXING AND POURING

## ■ Details

Bucket Width	Total Width	Weight (kg)	Mix Capacity Cubic meters	Oil Flow Litres/min	Price Netto of VAT
1.2	1.45	620	0.38 to 0.42	50-80	£4980
1.5	1.75	680	0.48 to 0.53	50-80	£5640
1.8	2.05	780	0.57 to 0.63	50-80	£5980
2.0	2.25	860	0.64 to 0.75	50-80	£6470

## ■ Contact Info

### ADDRESS:

LLAIN FAWR  
DEVILS BRIDGE  
ABERYSTWYTH  
CEREDIGION  
SY23 4QU

### MORGAN EVANS (SALES)

Phone: 07791 179168  
E-mail: [morgan.evans@agritrend.co.uk](mailto:morgan.evans@agritrend.co.uk)

### BOB MILS

Phone: 07979 061250  
E-mail: [bob.mills@agritrend.co.uk](mailto:bob.mills@agritrend.co.uk)